



# Management

## Elasticsearch

Data sources

Users

Roles

Watches

## Kibana

[Index patterns](#)

Saved objects

Reporting

Advanced settings

## Logstash

Pipeline viewer



## Create a new Index Pattern

Kibana uses index patterns to decide which Elasticsearch indices to run search and analytics against.

[Learn more](#)

---

**Good news! We found 112 Elasticsearch indices**

Create your first index pattern...

[Create new index pattern](#)



# Management

## Elasticsearch

- Data sources
- Users
- Roles
- Watches

## Kibana

- [Index patterns](#)
- Saved objects
- Reporting
- Advanced settings

## Logstash

- Pipeline viewer



## Create a new Index Pattern

Kibana uses index patterns to decide which Elasticsearch indices to run search and analytics against.

[Learn more](#)

### Missing Elasticsearch indices

You'll need to index data into Elasticsearch before you can create an index pattern. Learn more about [index patterns](#) or [how to index data into Elasticsearch](#).

[Check for new data](#)



# Management

Elasticsearch

Data sources

Users

Roles

Watches

Kibana

[Index patterns](#)

Saved objects

Reporting

Advanced settings

Logstash

Pipeline viewer



## Create a new Index Pattern

Kibana uses index patterns to decide which Elasticsearch indices to run search and analytics against.

[Learn more](#)

### Missing Elasticsearch indices

You'll need to index data into Elasticsearch before you can create an index pattern. Learn more about [index patterns](#) or [how to index data into Elasticsearch](#).

Check for new data



# Management

Elasticsearch

Data sources

Users

Roles

Watches

Kibana

[Index patterns](#)

Saved objects

Reporting

Advanced settings

Logstash

Pipeline viewer

## Create new Index Pattern

Index patterns are used to identify the Elasticsearch index to run search and analytics against.

They are also used to configure fields.

### Define a pattern...

Please enter...

Patterns allow you to define dynamic index names using \* as a wildcard.

### ...that will match these indices

| Name              | Fields |
|-------------------|--------|
| .ml-anomalies-*   | 93     |
| .ml-anomalies-*   | 14     |
| .ml-notifications | 75     |
| .monitoring-es-*  | 122    |
| basic-logstash-*  | 98     |
| bestbu*           | 64     |
| bestbuykaggle     | 132    |
| bicimad-*         | 64     |



# Management

Elasticsearch

Data sources

Users

Roles

Watches

Kibana

[Index patterns](#)

Saved objects

Reporting

Advanced settings

Logstash

Pipeline viewer

## Create new Index Pattern

Index patterns are used to identify the Elasticsearch index to run search and analytics against.

They are also used to configure fields.

### Define a pattern...

Pattern name

logstash-\*

Patterns allow you to define dynamic index names using \* as a wildcard.

Specify optional time field



Create

### ...that will match these indices

| Name              | Fields |
|-------------------|--------|
| logstash-20170704 | 132    |
| logstash-20170702 | 68     |
| logstash-20170622 | 94     |
| logstash-20170614 | 146    |

4 of 4



# Management

Elasticsearch

Data sources

Users

Roles

Watches

Kibana

[Index patterns](#)

Saved objects

Reporting

Advanced settings

Logstash

Pipeline viewer

## Create new Index Pattern

Index patterns are used to identify the Elasticsearch index to run search and analytics against.

They are also used to configure fields.

### Define a pattern...

Pattern name

logstash-\*

Patterns allow you to define dynamic index names using \* as a wildcard.

[Specify optional time field](#)

Select...



None

@timestamp

date

### ...that will match these indices

| Name              | Fields |
|-------------------|--------|
| logstash-20170704 | 132    |
| logstash-20170702 | 68     |
| logstash-20170622 | 94     |
| logstash-20170614 | 146    |



# Management

Elasticsearch

Data sources

Users

Roles

Watches

Kibana

[Index patterns](#)

Saved objects

Reporting

Advanced settings

Logstash

Pipeline viewer

## Create new Index Pattern

Index patterns are used to identify the Elasticsearch index to run search and analytics against.

They are also used to configure fields.

### Define a pattern...

Pattern name

logstash-\*

Patterns allow you to define dynamic index names using \* as a wildcard.

Specify optional time field

@ timestamp



Create

### ...that will match these indices

| Name              | Fields |
|-------------------|--------|
| logstash-20170704 | 132    |
| logstash-20170702 | 68     |
| logstash-20170622 | 94     |
| logstash-20170614 | 146    |

4 of 4



# Management

Elasticsearch

Data sources

Users

Roles

Watches

Kibana

[Index patterns](#)

Saved objects

Reporting

Advanced settings

Logstash

Pipeline viewer

## Index patterns

Create new index pattern

Search for an index pattern...

Filter by creator

| <input type="checkbox"/> Name ↑  | Matching indices | Fields | Created by       |
|--|------------------|--------|------------------|
| <input type="checkbox"/> <a href="#">accident</a> <span>Default Index</span> | 4                | 46     | Jeff Smith       |
| <input type="checkbox"/> <a href="#">filebeat-*</a>                          | 8                | 26     | Sarah Connor     |
| <input type="checkbox"/> <a href="#">bigdata-fnce</a>                        | 3                | 1319   | Paul Stallone    |
| <input type="checkbox"/> <a href="#">POS-Logs</a>                            | 9                | 33     | Maria Gonzales   |
| <input type="checkbox"/> <a href="#">Error-Logs</a>                          | 6                | 17     | Patsy Estrada    |
| <input type="checkbox"/> <a href="#">finance-BA0278</a>                      | 11               | 157    | Enrique Bates    |
| <input type="checkbox"/> <a href="#">shipments-asia</a>                      | 16               | 84     | Kara Hopkins     |
| <input type="checkbox"/> <a href="#">shipments-europe</a>                    | 13               | 24     | Gilberto Schultz |
| <input type="checkbox"/> <a href="#">network-logs-8736</a>                   | 16               | 108    | Brad Holland     |
| <input type="checkbox"/> <a href="#">network-logs-B7633</a>                  | 2                | 17     | Toni Wise        |

Rows per page : 10

1-10 of 100



New index pattern saved

Select your index pattern in the table if you need to make any edits





# Management

Elasticsearch

Data sources

Users

Roles

Watches

Kibana

[Index patterns](#)

Saved objects

Reporting

Advanced settings

Logstash

Pipeline viewer

## Index patterns

Create new index pattern

Search for an index pattern...

Filter by creator

| <input type="checkbox"/> Name ↑  | Matching indices | Fields | Created by       |
|--|------------------|--------|------------------|
| <input type="checkbox"/> <a href="#">accident</a> <span>Default Index</span> | 4                | 46     | Jeff Smith       |
| <input type="checkbox"/> <a href="#">filebeat-*</a>                          | 8                | 26     | Sarah Connor     |
| <input type="checkbox"/> <a href="#">bigdata-fnce</a>                        | 3                | 1319   | Paul Stallone    |
| <input type="checkbox"/> <a href="#">POS-Logs</a>                            | 9                | 33     | Maria Gonzales   |
| <input type="checkbox"/> <a href="#">Error-Logs</a>                          | 6                | 17     | Patsy Estrada    |
| <input type="checkbox"/> <a href="#">finance-BA0278</a>                      | 11               | 157    | Enrique Bates    |
| <input type="checkbox"/> <a href="#">shipments-asia</a>                      | 16               | 84     | Kara Hopkins     |
| <input type="checkbox"/> <a href="#">shipments-europe</a>                    | 13               | 24     | Gilberto Schultz |
| <input type="checkbox"/> <a href="#">network-logs-8736</a>                   | 16               | 108    | Brad Holland     |
| <input type="checkbox"/> <a href="#">network-logs-B7633</a>                  | 2                | 17     | Toni Wise        |

Rows per page : 10

1-10 of 100





# Management

## Elasticsearch

- Data sources
- Users
- Roles
- Watches

## Kibana

- [Index patterns](#)
- Saved objects
- Reporting
- Advanced settings

## Logstash

- Pipeline viewer

# accident

Default Index



Configured time field: **@timestamp**

This page lists every field in the **accident\*** index and the field's associated core type as recorded by Elasticsearch. While this list allows you to view the core type of each field, changing field types must be done using Elasticsearch's [Mapping API](#).

Fields (46)

Scripted Fields (0)

Source Filters (0)

Search...

Filter by field types

| Name ↑             | Type    | Format | Searchable ⓘ | Aggregatable ⓘ | Analyzed ⓘ | Excluded ⓘ |
|--------------------|---------|--------|--------------|----------------|------------|------------|
| @timestamp         | date    |        | ✓            | ✓              |            |            |
| @version           | string  |        | ✓            | ✓              |            |            |
| _id                | string  |        |              |                |            |            |
| _index             | string  |        |              |                |            |            |
| _score             | number  |        |              |                |            |            |
| _source            | _source |        |              |                |            |            |
| _type              | string  |        | ✓            | ✓              |            |            |
| Address            | string  |        | ✓            | ✓              |            |            |
| Address1           | string  |        | ✓            | ✓              |            |            |
| Address1.untouched | string  |        | ✓            |                | ✓          |            |

Rows per page : 10

1-10 of 100





# Management

## Elasticsearch

- Data sources
- Users
- Roles
- Watches

## Kibana

- [Index patterns](#)
- Saved objects
- Reporting
- Advanced settings

## Logstash

- Pipeline viewer

# bike-dc [Set as default index](#)



Configured time field: **startDate**

This page lists every field in the **bike-dc** index and the field's associated core type as recorded by Elasticsearch. While this list allows you to view the core type of each field, changing field types must be done using Elasticsearch's [Mapping API](#).

**Fields (23)**   Scripted Fields (0)   Source Filters (0)

Search...

Filter by field types ▼

| Name <span>↑</span>          | Type    | Format | Searchable <span>ⓘ</span> | Aggregatable <span>ⓘ</span> | Analyzed <span>ⓘ</span> | Excluded <span>ⓘ</span> |
|------------------------------|---------|--------|---------------------------|-----------------------------|-------------------------|-------------------------|
| <a href="#">@version</a>     | string  |        | ✓                         | ✓                           |                         |                         |
| <a href="#">_id</a>          | string  |        |                           |                             |                         |                         |
| <a href="#">_index</a>       | string  |        |                           |                             |                         |                         |
| <a href="#">_score</a>       | number  |        |                           |                             |                         |                         |
| <a href="#">_source</a>      | _source |        |                           |                             |                         |                         |
| <a href="#">_type</a>        | string  |        | ✓                         | ✓                           |                         |                         |
| <a href="#">behavior</a>     | string  |        | ✓                         | ✓                           |                         |                         |
| <a href="#">bikeNum</a>      | string  |        | ✓                         | ✓                           |                         |                         |
| <a href="#">city</a>         | string  |        | ✓                         | ✓                           |                         |                         |
| <a href="#">duration_min</a> | string  |        | ✓                         |                             | ✓                       |                         |

Rows per page : 10 ▼

1-10 of 100 < >



# Management

Elasticsearch

Data sources

Users

Roles

Watches

Kibana

[Index patterns](#)

Saved objects

Reporting

Advanced settings

Logstash

Pipeline viewer

## @timestamp

Type  
date

### Format Warning

Formatting allows you to control the way that specific values are displayed.

Format (Default : Date)

- default -



Popularity

3

Cancel

Update field