

Table 3.2.P.8.3.1.4-1

Analytical Property ^a	Method	Storage Condition	Months								
			I	1	3	6	9	12	18	23 ^b	24 ^c
CCI ^d			X	NS	NS	NS	NS	X	NS	NS	X
pH			X	X X	X X	X X	X NS	X NS	X NS	X NS	X NS
Particulate Matter			X	X X	X X	X X	X NS	X NS	X NS	X NS	X NS
Particulate Matter			X	X X	X X	X X	X NS	X NS	X NS	X NS	X NS
Particulate Matter			X	X X	X X	X X	X NS	X NS	X NS	X NS	X NS
Color			X	X X	X X	X X	X NS	X NS	X NS	X NS	X NS
Clarity			X	X X	X X	X X	X NS	X NS	X NS	X NS	X NS
Break-Loose Force ^d			X	X X	X X	X X	X NS	X NS	X NS	X NS	X NS
Glide Force ^d			X	X X	X X	X X	X NS	X NS	X NS	X NS	X NS
Visual Inspection ^e			X	X X	X X	X X	X NS	X NS	X NS	X NS	X NS
Dose Accuracy ^e			X	X X	X X	X X	X NS	X NS	X NS	X NS	X NS
Injection Process Time ^f			X	X X	X X	X X	X NS	X NS	X NS	X NS	X NS