

Comparing source compatibility of C:\Users\Gili\Documents\requirements\target\requirements-2.0.3-SNAPSHOT.jar against C:\Users\Gili\.m2\repository\org\bitbucket\cowwoc\requirements\2.0.2\requirements-2.0.2.jar

Old:	C:\Users\Gili\.m2\repository\org\bitbucket\cowwoc\requirements\2.0.2\requirements-2.0.2.jar
New:	C:\Users\Gili\Documents\requirements\target\requirements-2.0.3-SNAPSHOT.jar
Created:	2016-10-09T01:35:39.472-0400
Access modifier filter:	PROTECTED
Only modifications:	true
Only binary incompatible modifications:	false
Ignore missing classes:	false
Includes:	org.bitbucket.cowwoc.requirements;org.bitbucket.cowwoc.requirements
Excludes:	org.bitbucket.cowwoc.requirements.diff.string;org.bitbucket.cowwoc.requirements.diff.string;org.bitbucket.cowwoc.requirements.spi;org.bitbucket.cowwoc.requirements.spi;org.bitbucket.cowwoc.requirements.util;org.bitbucket.cowwoc.requirements.util
Semantic Versioning:	0.1.0

Classes

Status	Fully Qualified Name
UNCHANGED	<a href="#">org.bitbucket.cowwoc.requirements.Assertions</a>
NEW (*)	<a href="#">org.bitbucket.cowwoc.requirements.AssertionVerifier</a>
NEW (*)	<a href="#">org.bitbucket.cowwoc.requirements.DoubleRequirements</a>
NEW (*)	<a href="#">org.bitbucket.cowwoc.requirements.DoubleRequirementsImpl</a>
MODIFIED (*)	<a href="#">org.bitbucket.cowwoc.requirements.Requirements</a>
NEW (*)	<a href="#">org.bitbucket.cowwoc.requirements.RequirementVerifier</a>
NEW (*)	<a href="#">org.bitbucket.cowwoc.requirements.Verifier</a>

Binary incompatible changes are marked with (!) while source incompatible changes are marked with (\*).

**UNCHANGED** *final public class* **org.bitbucket.cowwoc.requirements.Assertions** [top](#)

Annotations:

Status	Fully Qualified Name	Elements
NEW	java.lang.Deprecated	n.a.

**NEW (\*)** *final public class* **org.bitbucket.cowwoc.requirements.AssertionVerifier** [top](#)

Interfaces:

Status	Interface	Compatibility Changes
NEW	org.bitbucket.cowwoc.requirements.Verifier	n.a.

Constructors:

Status	Modifier	Constructor	Exceptions	Compatibility Changes	Line Number
NEW	public	AssertionVerifier(boolean)	n.a.	n.a.	Old file
					n.a.
					New file
					49

Methods:

Status	Modifier	Type	Method	Exceptions	Compatibility Changes	Line Number
NEW (*)	public	org.bitbucket.cowwoc.requirements.AssertionVerifier	addContext(java.lang.String, java.lang.Object)	Status:	Change	Old file
				NEW		
						New file
						92

NEW	public	boolean	isEnabled()	n.a.	n.a.	Old file n.a.	New file 76								
NEW (*)	public	org.bitbucket.cowwoc.requirements.ObjectRequirements	requireThat(java.lang.Object, java.lang.String)	<table border="1"> <thead> <tr> <th>Status:</th> <th>Name:</th> </tr> </thead> <tbody> <tr> <td>NEW</td> <td>java.lang.NullPointerException</td> </tr> <tr> <td>NEW</td> <td>java.lang.IllegalArgumentException</td> </tr> </tbody> </table>	Status:	Name:	NEW	java.lang.NullPointerException	NEW	java.lang.IllegalArgumentException	<table border="1"> <thead> <tr> <th>Change</th> </tr> </thead> <tbody> <tr> <td>METHOD_NOW_THROWS_CHECKED_EXCEPTION</td> </tr> </tbody> </table>	Change	METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file n.a.	New file 120
Status:	Name:														
NEW	java.lang.NullPointerException														
NEW	java.lang.IllegalArgumentException														
Change															
METHOD_NOW_THROWS_CHECKED_EXCEPTION															
NEW (*)	public	org.bitbucket.cowwoc.requirements.CollectionRequirements	requireThat(java.util.Collection, java.lang.String)	<table border="1"> <thead> <tr> <th>Status:</th> <th>Name:</th> </tr> </thead> <tbody> <tr> <td>NEW</td> <td>java.lang.NullPointerException</td> </tr> <tr> <td>NEW</td> <td>java.lang.IllegalArgumentException</td> </tr> </tbody> </table>	Status:	Name:	NEW	java.lang.NullPointerException	NEW	java.lang.IllegalArgumentException	<table border="1"> <thead> <tr> <th>Change</th> </tr> </thead> <tbody> <tr> <td>METHOD_NOW_THROWS_CHECKED_EXCEPTION</td> </tr> </tbody> </table>	Change	METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file n.a.	New file 139
Status:	Name:														
NEW	java.lang.NullPointerException														
NEW	java.lang.IllegalArgumentException														
Change															
METHOD_NOW_THROWS_CHECKED_EXCEPTION															
NEW (*)	public	org.bitbucket.cowwoc.requirements.ComparableRequirements	requireThat(java.lang.Comparable, java.lang.String)	<table border="1"> <thead> <tr> <th>Status:</th> <th>Name:</th> </tr> </thead> <tbody> <tr> <td>NEW</td> <td>java.lang.NullPointerException</td> </tr> <tr> <td>NEW</td> <td>java.lang.IllegalArgumentException</td> </tr> </tbody> </table>	Status:	Name:	NEW	java.lang.NullPointerException	NEW	java.lang.IllegalArgumentException	<table border="1"> <thead> <tr> <th>Change</th> </tr> </thead> <tbody> <tr> <td>METHOD_NOW_THROWS_CHECKED_EXCEPTION</td> </tr> </tbody> </table>	Change	METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file n.a.	New file 158
Status:	Name:														
NEW	java.lang.NullPointerException														
NEW	java.lang.IllegalArgumentException														
Change															
METHOD_NOW_THROWS_CHECKED_EXCEPTION															
NEW (*)	public	org.bitbucket.cowwoc.requirements.NumberRequirements	requireThat(java.lang.Number, java.lang.String)	<table border="1"> <thead> <tr> <th>Status:</th> <th>Name:</th> </tr> </thead> <tbody> <tr> <td>NEW</td> <td>java.lang.NullPointerException</td> </tr> <tr> <td>NEW</td> <td>java.lang.IllegalArgumentException</td> </tr> </tbody> </table>	Status:	Name:	NEW	java.lang.NullPointerException	NEW	java.lang.IllegalArgumentException	<table border="1"> <thead> <tr> <th>Change</th> </tr> </thead> <tbody> <tr> <td>METHOD_NOW_THROWS_CHECKED_EXCEPTION</td> </tr> </tbody> </table>	Change	METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file n.a.	New file 177
Status:	Name:														
NEW	java.lang.NullPointerException														
NEW	java.lang.IllegalArgumentException														
Change															
METHOD_NOW_THROWS_CHECKED_EXCEPTION															
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	requireThat(java.lang.Double, java.lang.String)	<table border="1"> <thead> <tr> <th>Status:</th> <th>Name:</th> </tr> </thead> <tbody> <tr> <td>NEW</td> <td>java.lang.NullPointerException</td> </tr> <tr> <td>NEW</td> <td>java.lang.IllegalArgumentException</td> </tr> </tbody> </table>	Status:	Name:	NEW	java.lang.NullPointerException	NEW	java.lang.IllegalArgumentException	<table border="1"> <thead> <tr> <th>Change</th> </tr> </thead> <tbody> <tr> <td>METHOD_NOW_THROWS_CHECKED_EXCEPTION</td> </tr> </tbody> </table>	Change	METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file n.a.	New file 194
Status:	Name:														
NEW	java.lang.NullPointerException														
NEW	java.lang.IllegalArgumentException														
Change															
METHOD_NOW_THROWS_CHECKED_EXCEPTION															
NEW (*)	public	org.bitbucket.cowwoc.requirements.BigDecimalRequirements	requireThat(java.math.BigDecimal, java.lang.String)	<table border="1"> <thead> <tr> <th>Status:</th> <th>Name:</th> </tr> </thead> <tbody> <tr> <td>NEW</td> <td>java.lang.NullPointerException</td> </tr> <tr> <td>NEW</td> <td>java.lang.IllegalArgumentException</td> </tr> </tbody> </table>	Status:	Name:	NEW	java.lang.NullPointerException	NEW	java.lang.IllegalArgumentException	<table border="1"> <thead> <tr> <th>Change</th> </tr> </thead> <tbody> <tr> <td>METHOD_NOW_THROWS_CHECKED_EXCEPTION</td> </tr> </tbody> </table>	Change	METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file n.a.	New file 212
Status:	Name:														
NEW	java.lang.NullPointerException														
NEW	java.lang.IllegalArgumentException														
Change															
METHOD_NOW_THROWS_CHECKED_EXCEPTION															
NEW (*)	public	org.bitbucket.cowwoc.requirements.MapRequirements	requireThat(java.util.Map, java.lang.String)	<table border="1"> <thead> <tr> <th>Status:</th> <th>Name:</th> </tr> </thead> <tbody> <tr> <td>NEW</td> <td>java.lang.NullPointerException</td> </tr> <tr> <td>NEW</td> <td>java.lang.IllegalArgumentException</td> </tr> </tbody> </table>	Status:	Name:	NEW	java.lang.NullPointerException	NEW	java.lang.IllegalArgumentException	<table border="1"> <thead> <tr> <th>Change</th> </tr> </thead> <tbody> <tr> <td>METHOD_NOW_THROWS_CHECKED_EXCEPTION</td> </tr> </tbody> </table>	Change	METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file n.a.	New file 232
Status:	Name:														
NEW	java.lang.NullPointerException														
NEW	java.lang.IllegalArgumentException														
Change															
METHOD_NOW_THROWS_CHECKED_EXCEPTION															
NEW (*)	public	org.bitbucket.cowwoc.requirements.PathRequirements	requireThat(java.nio.file.Path, java.lang.String)	<table border="1"> <thead> <tr> <th>Status:</th> <th>Name:</th> </tr> </thead> <tbody> <tr> <td>NEW</td> <td>java.lang.NullPointerException</td> </tr> <tr> <td>NEW</td> <td>java.lang.IllegalArgumentException</td> </tr> </tbody> </table>	Status:	Name:	NEW	java.lang.NullPointerException	NEW	java.lang.IllegalArgumentException	<table border="1"> <thead> <tr> <th>Change</th> </tr> </thead> <tbody> <tr> <td>METHOD_NOW_THROWS_CHECKED_EXCEPTION</td> </tr> </tbody> </table>	Change	METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file n.a.	New file 252
Status:	Name:														
NEW	java.lang.NullPointerException														
NEW	java.lang.IllegalArgumentException														
Change															
METHOD_NOW_THROWS_CHECKED_EXCEPTION															
NEW (*)	public	org.bitbucket.cowwoc.requirements.StringRequirements	requireThat(java.lang.String, java.lang.String)	<table border="1"> <thead> <tr> <th>Status:</th> <th>Name:</th> </tr> </thead> <tbody> <tr> <td>NEW</td> <td>java.lang.NullPointerException</td> </tr> <tr> <td>NEW</td> <td>java.lang.IllegalArgumentException</td> </tr> </tbody> </table>	Status:	Name:	NEW	java.lang.NullPointerException	NEW	java.lang.IllegalArgumentException	<table border="1"> <thead> <tr> <th>Change</th> </tr> </thead> <tbody> <tr> <td>METHOD_NOW_THROWS_CHECKED_EXCEPTION</td> </tr> </tbody> </table>	Change	METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file n.a.	New file 270
Status:	Name:														
NEW	java.lang.NullPointerException														
NEW	java.lang.IllegalArgumentException														
Change															
METHOD_NOW_THROWS_CHECKED_EXCEPTION															
NEW (*)	public	org.bitbucket.cowwoc.requirements.UriRequirements	requireThat(java.net.URI, java.lang.String)	<table border="1"> <thead> <tr> <th>Status:</th> <th>Name:</th> </tr> </thead> <tbody> <tr> <td>NEW</td> <td>java.lang.NullPointerException</td> </tr> <tr> <td>NEW</td> <td>java.lang.IllegalArgumentException</td> </tr> </tbody> </table>	Status:	Name:	NEW	java.lang.NullPointerException	NEW	java.lang.IllegalArgumentException	<table border="1"> <thead> <tr> <th>Change</th> </tr> </thead> <tbody> <tr> <td>METHOD_NOW_THROWS_CHECKED_EXCEPTION</td> </tr> </tbody> </table>	Change	METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file n.a.	New file 288
Status:	Name:														
NEW	java.lang.NullPointerException														
NEW	java.lang.IllegalArgumentException														
Change															
METHOD_NOW_THROWS_CHECKED_EXCEPTION															
NEW (*)	public	org.bitbucket.cowwoc.requirements.ClassRequirements	requireThat(java.lang.Class, java.lang.String)	<table border="1"> <thead> <tr> <th>Status:</th> <th>Name:</th> </tr> </thead> <tbody> <tr> <td>NEW</td> <td>java.lang.NullPointerException</td> </tr> <tr> <td>NEW</td> <td>java.lang.IllegalArgumentException</td> </tr> </tbody> </table>	Status:	Name:	NEW	java.lang.NullPointerException	NEW	java.lang.IllegalArgumentException	<table border="1"> <thead> <tr> <th>Change</th> </tr> </thead> <tbody> <tr> <td>METHOD_NOW_THROWS_CHECKED_EXCEPTION</td> </tr> </tbody> </table>	Change	METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file n.a.	New file 307
Status:	Name:														
NEW	java.lang.NullPointerException														
NEW	java.lang.IllegalArgumentException														
Change															
METHOD_NOW_THROWS_CHECKED_EXCEPTION															
NEW (*)	public	org.bitbucket.cowwoc.requirements.OptionalRequirements	requireThat(java.util.Optional, java.lang.String)	<table border="1"> <thead> <tr> <th>Status:</th> <th>Name:</th> </tr> </thead> <tbody> <tr> <td>NEW</td> <td>java.lang.NullPointerException</td> </tr> <tr> <td>NEW</td> <td>java.lang.IllegalArgumentException</td> </tr> </tbody> </table>	Status:	Name:	NEW	java.lang.NullPointerException	NEW	java.lang.IllegalArgumentException	<table border="1"> <thead> <tr> <th>Change</th> </tr> </thead> <tbody> <tr> <td>METHOD_NOW_THROWS_CHECKED_EXCEPTION</td> </tr> </tbody> </table>	Change	METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file n.a.	New file 327
Status:	Name:														
NEW	java.lang.NullPointerException														
NEW	java.lang.IllegalArgumentException														
Change															
METHOD_NOW_THROWS_CHECKED_EXCEPTION															
NEW (*)	public	org.bitbucket.cowwoc.requirements.AssertionVerifier	withContext(java.util.List)	<table border="1"> <thead> <tr> <th>Status:</th> <th>Name:</th> </tr> </thead> <tbody> <tr> <td>NEW</td> <td>java.lang.NullPointerException</td> </tr> </tbody> </table>	Status:	Name:	NEW	java.lang.NullPointerException	<table border="1"> <thead> <tr> <th>Change</th> </tr> </thead> <tbody> <tr> <td>METHOD_NOW_THROWS_CHECKED_EXCEPTION</td> </tr> </tbody> </table>	Change	METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file n.a.	New file 101		
Status:	Name:														
NEW	java.lang.NullPointerException														
Change															
METHOD_NOW_THROWS_CHECKED_EXCEPTION															
NEW	public	org.bitbucket.cowwoc.requirements.AssertionVerifier	withException(java.lang.Class)	n.a.	n.a.	Old file n.a.	New file 82								
<b>Status</b>	<b>Modifier</b>	<b>Type</b>	<b>Method</b>	<b>Exceptions</b>	<b>Compatibility Changes:</b>	<b>Line Number</b>									

**NEW (\*)** *public abstract interface* [org.bitbucket.cowwoc.requirements.DoubleRequirements](#) [top](#)

Compatibility Changes:

Change
INTERFACE_ADDED

Interfaces:

Status	Interface	Compatibility Changes:
NEW	org.bitbucket.cowwoc.requirements.Isolatable	n.a.
NEW	org.bitbucket.cowwoc.requirements.spi.ComparableRequirementsSpi	n.a.
NEW	org.bitbucket.cowwoc.requirements.spi.NumberRequirementsSpi	n.a.
NEW	org.bitbucket.cowwoc.requirements.spi.ObjectRequirementsSpi	n.a.
NEW	org.bitbucket.cowwoc.requirements.Verifier	n.a.

Methods:

Status	Modifier	Type	Method	Exceptions	Compatibility Changes:	Line Number	
NEW (*)	<i>public abstract</i>	org.bitbucket.cowwoc.requirements.DoubleRequirements	isFinite()	<b>Status:</b> <b>Name:</b>	<b>Change</b> METHOD_NOW_THROWS_CHECKED_EXCEPTION	<b>Old file</b>	<b>New file</b>
				NEW			
NEW (*)	<i>public abstract</i>	org.bitbucket.cowwoc.requirements.DoubleRequirements	isNotFinite()	<b>Status:</b> <b>Name:</b>	<b>Change</b> METHOD_NOW_THROWS_CHECKED_EXCEPTION	<b>Old file</b>	<b>New file</b>
				NEW			
NEW (*)	<i>public abstract</i>	org.bitbucket.cowwoc.requirements.DoubleRequirements	isNotNumber()	<b>Status:</b> <b>Name:</b>	<b>Change</b> METHOD_NOW_THROWS_CHECKED_EXCEPTION	<b>Old file</b>	<b>New file</b>
				NEW			
NEW (*)	<i>public abstract</i>	org.bitbucket.cowwoc.requirements.DoubleRequirements	isNumber()	<b>Status:</b> <b>Name:</b>	<b>Change</b> METHOD_NOW_THROWS_CHECKED_EXCEPTION	<b>Old file</b>	<b>New file</b>
				NEW			

**NEW (\*)** *final public class* [org.bitbucket.cowwoc.requirements.DoubleRequirementsImpl](#) [top](#)

Interfaces:

Status	Interface	Compatibility Changes:
NEW	org.bitbucket.cowwoc.requirements.DoubleRequirements	n.a.
NEW	org.bitbucket.cowwoc.requirements.Isolatable	n.a.
NEW	org.bitbucket.cowwoc.requirements.spi.ComparableRequirementsSpi	n.a.
NEW	org.bitbucket.cowwoc.requirements.spi.NumberRequirementsSpi	n.a.
NEW	org.bitbucket.cowwoc.requirements.spi.ObjectRequirementsSpi	n.a.
NEW	org.bitbucket.cowwoc.requirements.Verifier	n.a.

Methods:

Status	Modifier	Type	Method	Exceptions	Compatibility Changes:	Line Number		
NEW	<i>public</i>	org.bitbucket.cowwoc.requirements.DoubleRequirements	addContext(java.lang.String, java.lang.Object)	n.a.	n.a.	<b>Old file</b>	<b>New file</b>	
						n.a.	58	
NEW (*)	<i>public</i>	org.bitbucket.cowwoc.requirements.DoubleRequirements	isEqualTo(java.lang.Double)	<b>Status:</b> <b>Name:</b>	<b>Change</b> METHOD_NOW_THROWS_CHECKED_EXCEPTION	<b>Old file</b>	<b>New file</b>	
				NEW				java.lang.IllegalArgumentException
NEW (*)	<i>public</i>	org.bitbucket.cowwoc.requirements.DoubleRequirements	isEqualTo(java.lang.Double, java.lang.String)	<b>Status:</b> <b>Name:</b>	<b>Change</b> METHOD_NOW_THROWS_CHECKED_EXCEPTION	<b>Old file</b>	<b>New file</b>	
				NEW				java.lang.NullPointerException
				NEW				java.lang.IllegalArgumentException
NEW (*)	<i>public</i>	org.bitbucket.cowwoc.requirements.DoubleRequirements	isFinite()	<b>Status:</b> <b>Name:</b>	<b>Change</b> METHOD_NOW_THROWS_CHECKED_EXCEPTION	<b>Old file</b>	<b>New file</b>	
				NEW				java.lang.IllegalArgumentException
NEW (*)	<i>public</i>	org.bitbucket.cowwoc.requirements.DoubleRequirements	isGreaterThan(java.lang.Double, java.lang.String)	<b>Status:</b> <b>Name:</b>	<b>Change</b> METHOD_NOW_THROWS_CHECKED_EXCEPTION	<b>Old file</b>	<b>New file</b>	
				NEW				java.lang.NullPointerException
				NEW				java.lang.IllegalArgumentException

NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isGreaterThan(java.lang.Double)	Status:	Name:	Change	Old file	New file	
				NEW	java.lang.NullPointerException				
				NEW	java.lang.IllegalArgumentException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	126	
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isGreaterThanOrEqualTo(java.lang.Double, java.lang.String)	Status:	Name:	Change	Old file	New file	
				NEW	java.lang.NullPointerException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	134	
				NEW	java.lang.IllegalArgumentException				
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isGreaterThanOrEqualTo(java.lang.Double)	Status:	Name:	Change	Old file	New file	
				NEW	java.lang.NullPointerException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	142	
				NEW	java.lang.IllegalArgumentException				
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isIn(com.google.common.collect.Range)	Status:	Name:	Change	Old file	New file	
				NEW	java.lang.NullPointerException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	182	
				NEW	java.lang.IllegalArgumentException				
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isIn(java.util.Collection)	Status:	Name:	Change	Old file	New file	
				NEW	java.lang.NullPointerException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	220	
				NEW	java.lang.IllegalArgumentException				
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isInstanceOf(java.lang.Class)	Status:	Name:	Change	Old file	New file	
				NEW	java.lang.NullPointerException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	228	
				NEW	java.lang.IllegalArgumentException				
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isLessThan(java.lang.Double, java.lang.String)	Status:	Name:	Change	Old file	New file	
				NEW	java.lang.NullPointerException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	150	
				NEW	java.lang.IllegalArgumentException				
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isLessThan(java.lang.Double)	Status:	Name:	Change	Old file	New file	
				NEW	java.lang.NullPointerException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	158	
				NEW	java.lang.IllegalArgumentException				
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isLessThanOrEqualTo(java.lang.Double, java.lang.String)	Status:	Name:	Change	Old file	New file	
				NEW	java.lang.NullPointerException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	166	
				NEW	java.lang.IllegalArgumentException				
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isLessThanOrEqualTo(java.lang.Double)	Status:	Name:	Change	Old file	New file	
				NEW	java.lang.NullPointerException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	174	
				NEW	java.lang.IllegalArgumentException				
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isNegative()	Status:	Name:	Change	Old file	New file	
				NEW	java.lang.IllegalArgumentException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	75	
				<b>Compatibility Changes:</b>				<b>Line Number</b>	
<b>Status</b>	<b>Modifier</b>	<b>Type</b>	<b>Method</b>	<b>Status:</b>	<b>Name:</b>	<b>Change</b>	<b>Old file</b>	<b>New file</b>	
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isNotEqualTo(java.lang.Double)	NEW	java.lang.IllegalArgumentException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	204	
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isNotEqualTo(java.lang.Double, java.lang.String)	Status:	Name:	Change	Old file	New file	
				NEW	java.lang.NullPointerException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	212	
				NEW	java.lang.IllegalArgumentException				
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isNotFinite()	Status:	Name:	Change	Old file	New file	
				NEW	java.lang.IllegalArgumentException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	282	
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isNotNegative()	Status:	Name:	Change	Old file	New file	
				NEW	java.lang.IllegalArgumentException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	82	
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isNotNull()	Status:	Name:	Change	Old file	New file	
				NEW	java.lang.NullPointerException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	242	
				Status:	Name:	Change	Old file	New file	

NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isNotNumber()	NEW	java.lang.IllegalArgumentException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	260
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isNotPositive()	<b>Status: Name:</b>		<b>Change</b>	<b>Old file</b>	<b>New file</b>
				NEW	java.lang.IllegalArgumentException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	89
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isNotZero()	<b>Status: Name:</b>		<b>Change</b>	<b>Old file</b>	<b>New file</b>
				NEW	java.lang.IllegalArgumentException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	96
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isNull()	<b>Status: Name:</b>		<b>Change</b>	<b>Old file</b>	<b>New file</b>
				NEW	java.lang.IllegalArgumentException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	235
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isNumber()	<b>Status: Name:</b>		<b>Change</b>	<b>Old file</b>	<b>New file</b>
				NEW	java.lang.IllegalArgumentException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	249
NEW	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isolate(java.util.function.Consumer)	n.a.		n.a.	<b>Old file</b>	<b>New file</b>
							n.a.	293
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isPositive()	<b>Status: Name:</b>		<b>Change</b>	<b>Old file</b>	<b>New file</b>
				NEW	java.lang.IllegalArgumentException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	103
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	isZero()	<b>Status: Name:</b>		<b>Change</b>	<b>Old file</b>	<b>New file</b>
				NEW	java.lang.IllegalArgumentException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	110
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	withContext(java.util.List)	<b>Status: Name:</b>		<b>Change</b>	<b>Old file</b>	<b>New file</b>
				NEW	java.lang.NullPointerException	METHOD_NOW_THROWS_CHECKED_EXCEPTION	n.a.	66
NEW	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	withException(java.lang.Class)	n.a.		n.a.	<b>Old file</b>	<b>New file</b>
							n.a.	49

**MODIFIED (\*)** *final public class* **org.bitbucket.cowwoc.requirements.Requirements** [top](#)

Methods:

Status	Modifier	Type	Method	Exceptions	Compatibility Changes:	Line Number		
NEW (*)	static public	org.bitbucket.cowwoc.requirements.DoubleRequirements	assertThat(java.lang.Double, java.lang.String)	<b>Status: Name:</b>		<b>Change</b> METHOD_NOW_THROWS_CHECKED_EXCEPTION	<b>Old file</b> n.a.	<b>New file</b> 207
				NEW	java.lang.NullPointerException			
				NEW	java.lang.IllegalArgumentException			
NEW (*)	static public	org.bitbucket.cowwoc.requirements.DoubleRequirements	requireThat(java.lang.Double, java.lang.String)	<b>Status: Name:</b>		<b>Change</b> METHOD_NOW_THROWS_CHECKED_EXCEPTION	<b>Old file</b> n.a.	<b>New file</b> 191
				NEW	java.lang.NullPointerException			
				NEW	java.lang.IllegalArgumentException			

**NEW (\*)** *final public class* **org.bitbucket.cowwoc.requirements.RequirementVerifier** [top](#)

Interfaces:

Status	Interface	Compatibility Changes:
NEW	org.bitbucket.cowwoc.requirements.Verifier	n.a.

Constructors:

Status	Modifier	Constructor	Exceptions	Compatibility Changes:	Line Number	
NEW	public	RequirementVerifier()	n.a.	n.a.	<b>Old file</b> n.a.	<b>New file</b> 48

Methods:

Status	Modifier	Type	Method	Exceptions	Compatibility Changes:	Line Number		
NEW (*)	public	org.bitbucket.cowwoc.requirements.RequirementVerifier	addContext(java.lang.String, java.lang.Object)	<b>Status: Name:</b>		<b>Change</b> METHOD_NOW_THROWS_CHECKED_EXCEPTION	<b>Old file</b> n.a.	<b>New file</b> 77
				NEW	java.lang.NullPointerException			
				<b>Status: Name:</b>				

NEW (*)	public	org.bitbucket.cowwoc.requirements.ObjectRequirements	requireThat(java.lang.Object, java.lang.String)	NEW	java.lang.NullPointerException	Change METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file	New file
				NEW	java.lang.IllegalArgumentException		n.a.	104
NEW (*)	public	org.bitbucket.cowwoc.requirements.CollectionRequirements	requireThat(java.util.Collection, java.lang.String)	Status:	Name:	Change METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file	New file
				NEW	java.lang.NullPointerException		n.a.	121
				NEW	java.lang.IllegalArgumentException			
NEW (*)	public	org.bitbucket.cowwoc.requirements.ComparableRequirements	requireThat(java.lang.Comparable, java.lang.String)	Status:	Name:	Change METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file	New file
				NEW	java.lang.NullPointerException		n.a.	138
				NEW	java.lang.IllegalArgumentException			
NEW (*)	public	org.bitbucket.cowwoc.requirements.NumberRequirements	requireThat(java.lang.Number, java.lang.String)	Status:	Name:	Change METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file	New file
				NEW	java.lang.NullPointerException		n.a.	155
				NEW	java.lang.IllegalArgumentException			
NEW (*)	public	org.bitbucket.cowwoc.requirements.DoubleRequirements	requireThat(java.lang.Double, java.lang.String)	Status:	Name:	Change METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file	New file
				NEW	java.lang.NullPointerException		n.a.	171
				NEW	java.lang.IllegalArgumentException			
NEW (*)	public	org.bitbucket.cowwoc.requirements.BigDecimalRequirements	requireThat(java.math.BigDecimal, java.lang.String)	Status:	Name:	Change METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file	New file
				NEW	java.lang.NullPointerException		n.a.	187
				NEW	java.lang.IllegalArgumentException			
NEW (*)	public	org.bitbucket.cowwoc.requirements.MapRequirements	requireThat(java.util.Map, java.lang.String)	Status:	Name:	Change METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file	New file
				NEW	java.lang.NullPointerException		n.a.	205
				NEW	java.lang.IllegalArgumentException			
NEW (*)	public	org.bitbucket.cowwoc.requirements.PathRequirements	requireThat(java.nio.file.Path, java.lang.String)	Status:	Name:	Change METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file	New file
				NEW	java.lang.NullPointerException		n.a.	221
				NEW	java.lang.IllegalArgumentException			
NEW (*)	public	org.bitbucket.cowwoc.requirements.StringRequirements	requireThat(java.lang.String, java.lang.String)	Status:	Name:	Change METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file	New file
				NEW	java.lang.NullPointerException		n.a.	237
				NEW	java.lang.IllegalArgumentException			
NEW (*)	public	org.bitbucket.cowwoc.requirements.UriRequirements	requireThat(java.net.URI, java.lang.String)	Status:	Name:	Change METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file	New file
				NEW	java.lang.NullPointerException		n.a.	253
				NEW	java.lang.IllegalArgumentException			
NEW (*)	public	org.bitbucket.cowwoc.requirements.ClassRequirements	requireThat(java.lang.Class, java.lang.String)	Status:	Name:	Change METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file	New file
				NEW	java.lang.NullPointerException		n.a.	270
				NEW	java.lang.IllegalArgumentException			
NEW (*)	public	org.bitbucket.cowwoc.requirements.OptionalRequirements	requireThat(java.util.Optional, java.lang.String)	Status:	Name:	Change METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file	New file
				NEW	java.lang.NullPointerException		n.a.	286
				NEW	java.lang.IllegalArgumentException			
NEW (*)	public	org.bitbucket.cowwoc.requirements.RequirementVerifier	withContext(java.util.List)	Status:	Name:	Change METHOD_NOW_THROWS_CHECKED_EXCEPTION	Old file	New file
				NEW	java.lang.NullPointerException		n.a.	86
NEW	public	org.bitbucket.cowwoc.requirements.RequirementVerifier	withException(java.lang.Class)	n.a.		n.a.	Old file	New file
							n.a.	67

**NEW (\*)** *public abstract interface* `org.bitbucket.cowwoc.requirements.Verifier` [top](#)

Methods:

Status	Modifier	Type	Method	Exceptions	Compatibility Changes:	Line Number		
NEW (*)	<i>public abstract</i>	<code>org.bitbucket.cowwoc.requirements.Verifier</code>	<code>addContext(java.lang.String, java.lang.Object)</code>	<b>Status:</b>	<b>Name:</b>	<b>Change</b> METHOD_NOW_THROWS_CHECKED_EXCEPTION	<b>Old file</b> n.a.	<b>New file</b> n.a.
				NEW	<code>java.lang.NullPointerException</code>			
NEW (*)	<i>public abstract</i>	<code>org.bitbucket.cowwoc.requirements.Verifier</code>	<code>withContext(java.util.List)</code>	<b>Status:</b>	<b>Name:</b>	<b>Change</b> METHOD_NOW_THROWS_CHECKED_EXCEPTION	<b>Old file</b> n.a.	<b>New file</b> n.a.
				NEW	<code>java.lang.NullPointerException</code>			
NEW	<i>public abstract</i>	<code>org.bitbucket.cowwoc.requirements.Verifier</code>	<code>withException(java.lang.Class)</code>	n.a.		n.a.	<b>Old file</b>	<b>New file</b>
				n.a.	n.a.			