

[pierre.hebel \(HEBEL Pierre\)](#) asked • 1 week, 2 days ago (2025-01-17 13:14)

## Cross-piping project issue with embedded fields and multiple events

REDCap 15.0.0 · PHP 8.0.27 (Linux/Unix OS) · MariaDB 10.5.18


Hi,

I saw on the EM Cross-piping Project doc that there could be problems when using Embedded fields. I also saw a recent post where [@mark.mcever](#) encouraged to give details on the problems encountered. I use this EM with Embedded fields but also on repetitive forms. When I add a new "partner" in my project, I select it, I save the form and everything goes well. The fields are filled in automatically and correctly.

I saw on the EM Cross-piping Project doc that there could be problems when using Embedded fields. I also saw a recent post where [@mark.mcever](#) encouraged to give details on the problems encountered.

I use this EM with Embedded fields but also on repetitive forms.


When I access a partner already existing in my project, I notice that the content of the fields does not correspond to the initial choice of the drop-down list, but apparently to the content of the last partner of my project. In addition, I can no longer change it.




When I add a new "partner" in my project, it does not offer me an empty form, but filled with the last partner of my project.



If I select a desired partner in the list, I save the form and everything goes well. The fields are filled automatically and correctly.



When I return to a partner already present in the project, to change it, I notice (the first or the 2nd for example), the partner recorded is the correct one in the selection list, but the content of the loaded fields is wrong and corresponds to the last partner that I added previously (AFAQAP).



The error message that appears in the console is:

*The cookie "redcap-survey-nav-alert" does not have an appropriate "SameSite" attribute value. Soon, cookies with a missing or invalid "SameSite" attribute will be treated as "Lax". This means that the cookie will no longer be sent in third-party contexts. If your application depends on the availability of this cookie in such contexts, please add the "SameSite=None" attribute to it. To learn more about the "SameSite" attribute, see <https://developer.mozilla.org/docs/Web/HTTP/Headers/Set-Cookie/SameSite>*

Also, while browsing the browser's developer tool (Firefox), another error appeared:

*Error in source links: request failed with status 404 Resource URL: [https://xxxxxxxxxxxx.fr/redcap/redcap\\_v15.0.0/Resources/webpack/js/tippyjs/tippy.js?1736431430](https://xxxxxxxxxxxx.fr/redcap/redcap_v15.0.0/Resources/webpack/js/tippyjs/tippy.js?1736431430) Source link URL: [tippy-bundle.umd.min.js.map](#)*

Here are the network messages:

Status	Method	Domain	File	Initiator	Type	Transferred	Size	0 ms	1.37 min	2.7
200	POST	[REDACTED]	messenger_ajax.php	bundle.js2 (xhr)	html	1.06 kB	1...			
200	POST	[REDACTED]	messenger_ajax.php	bundle.js2 (xhr)	html	1.09 kB	1...			
200	POST	[REDACTED]	messenger_ajax.php	bundle.js2 (xhr)	html	1.06 kB	1...			
200	POST	[REDACTED]	messenger_ajax.php	bundle.js2 (xhr)	html	1.10 kB	1...			
200	POST	[REDACTED]	messenger_ajax.php	bundle.js2 (xhr)	html	1.05 kB	1...			
200	POST	[REDACTED]	messenger_ajax.php	bundle.js2 (xhr)	html	1.09 kB	1...			
200	GET	[REDACTED]	warning.png	img	png	cached	5...			
200	POST	[REDACTED]	messenger_ajax.php	bundle.js2 (xhr)	html	1.08 kB	1...			
200	GET	[REDACTED]	warning.png	img	png	cached	8...			
200	GET	[REDACTED]	keep_alive.php?pid=338&page=partenaires&id=19-CHUN-0005&event_id=60	bundle.js2 (xhr)	html	665 B	1 B			
200	GET	[REDACTED]	keep_alive.php?pid=338&page=partenaires&id=19-CHUN-0005&event_id=60	bundle.js2 (xhr)	html	637 B	1 B			
200	POST	[REDACTED]	messenger_ajax.php	bundle.js2 (xhr)	html	1.08 kB	1...			
200	POST	[REDACTED]	messenger_ajax.php	bundle.js2 (xhr)	html	1.06 kB	1...			
200	GET	[REDACTED]	keep_alive.php?pid=338&page=partenaires&id=19-CHUN-0005&event_id=60	bundle.js2 (xhr)	html	626 B	1 B			
200	POST	[REDACTED]	messenger_ajax.php	bundle.js2 (xhr)	html	1.11 kB	1...			
200	GET	[REDACTED]	keep_alive.php?pid=338&page=partenaires&id=19-CHUN-0005&event_id=60	bundle.js2 (xhr)	html	632 B	1 B			
200	POST	[REDACTED]	messenger_ajax.php	bundle.js2 (xhr)	html	1.08 kB	1...			

77 requests | 393.08 kB / 81.58 kB transferred | Finish: 41.62 min | DOMContentLoaded: 1.07 s | load: 1.10 s

I'm sorry, but I'm not very familiar with how the browser's developer tool works, and don't know how to go further.

FYI, the form's drop-down list is populated by an SQL field:

```
select record, value from redcap_data3 where project_id = 53 and field_name = 'raisonssocialepart'
and record in (select distinct record from redcap_data3 where project_id = 53
and field_name = 'actif' and value = '1') order by value
```

And it's content is good :

```
' name='partenaire' ><option value=''></option><option value='10435' >ABBOTT FRANCE SAS</option><option value='95673' >ABYS MEDICAL</option><option
```

My intuition is that either the EM or the embedded function is keeping data in cache or that variables or objects are not being cleared or destroyed at the end of a transaction.

Thanks for advice or helps. Hope this post will help someone to understand from where the bug come !